

No. Fail: JBPM/IP/RNP:700-7/2/9-490 (14)
(PEMBAHARUAN KEENAM)

SIJIL PEPASANGAN KESELAMATAN KEBAKARAN

APPROVAL CERTIFICATE



Jabatan Bomba dan Penyelamat Malaysia
dengan ini memperakukan
Fire and Rescue Department of Malaysia
hereby certify

DRYWALL CONSTRUCTION
UAC DRYWALL, 1 JAM (NON-LOAD BEARING)

Berdasarkan Piawaian
Complying with

BS 476: PART 22:1987

Syarikat Berdaftar
Registered company

UAC BERHAD (5149-H)
Level 10, Menara UAC,
12 Jalan PJU 7/5, Mutiara Damansara,
47800 Petaling Jaya,
Selangor DE.

Tempoh sah perakuan: **15/11/2022 hingga 14/11/2024**

(KAMARULZAMAN MALIK ABDULLAH)

Pengarah
Bahagian Perancangan dan Penyelidikan,
b.p. Ketua Pengarah
Jabatan Bomba dan Penyelamat Malaysia.

Tarikh: 5 September 2023

**** Peringatan:**

Sila patuhi sepenuhnya syarat-syarat dan had kegunaan seperti dalam Lampiran A1



CERTIFIED TO ISO 9001:2015
CERT. NO QMS 02101



CERTIFIED TO ISO 37001:2016
CERT. NO ABMS 00216



PEMENANG ANUGERAH
EMAS AIGA 2022

Jenis Bahan Binaan	: LIGHTWEIGHT SANDWICHED DRYWALL FIRE RATED SYSTEM 1 JAM (NON-LOADBEARING)
Jenama & Spesifikasi	: 'UAC DRYWALL FIRE RATED SYSTEM' Symmetrical non-loadbearing lightweight sandwich drywall partition (overall thickness: 94mm)
Nama & Alamat Pengeluar	: UAC BERHAD
Tahap Rintangan Api	: INTEGRITY 70 MINIT & INSULATION 70 MINIT
No. Laporan ujian/Tarikh	: SIRIM 2016FE0458 (30/09/2016) & 2023FE0447 (28/07/2023)
Skim Persijilan Barangan	: -----
Had Kegunaan	: TIDAK DIBENARKAN SEBAGAI 'PARTY WALL'. HENDAKLAH MEMATUHI SPESIFIKASI UJIAN, UBBL 1984 SERTA SYARAT-SYARAT TAMBAHAN SEPerti DI LAMPIRAN A2 & A3.

Tempoh sah perakuan: **30/06/2023 hingga 29/06/2025**

