UAC Berhad

Level 10 Menara UAC 12 Jalan PJU7/5 Mutiara Damansara 47800 Petaling Jaya Selangor Darul Ehsan Malaysia

Tel: +603 7721 9393 Fax: +603 7721 9300

e-mail: sales@uac.com.my website: www.uac.com.my



Agrément Certificate 19/5636

Product Sheet 3

FIBRE-CEMENT WALL BOARDS

UCO SEDARTEX PLANK

This Agrément Certificate Product Sheet⁽¹⁾ relates to the UCO Sedartex Plank, a fibre-cement external surface colour coated plank for use as exterior non-loadbearing cladding on vertical timber or metal supports overtimber frame, steel frame, concrete or masonry external walls of new or existing buildings.

(1) Hereinafter referred to as 'Certificate'.

CERTIFICATION INCLUDES:

- factors relating to compliance with Building Regulations where applicable
- factors relating to additional non-regulatory information where applicable
- independently verified technical specification
- assessment criteria and technical investigations
- design considerations
- installation guidance
- regular surveillance of production†
- formal three-yearly review.†

W To

KEY FACTORS ASSESSED

Strength and stability — a system constructed using this product can be designed to resist the wind actions normally encountered in the UK (see section 6).

Behaviour in relation to fire — constructions incorporating the product can achieve a reaction to fire classification of A1 or A2, s1-d0 and may be restricted in some cases (see section 7).

Weathertightness — the product, when installed, is not weathertight and, where necessary, must be used in conjunction with a suitable water vapour permeable membrane (see section 8).

Durability — under normal UK service conditions, the product will have a service life in excess of 30 years (see section 10).

The BBA has awarded this Certificate to the company named above for the product described herein. This product has been assessed by the BBA as being fit for its intended use provided it is installed, used and maintained as set out in this Certificate.

On behalf of the British Board of Agrément

Date of Second issue: 16 May 2022

Originally certificated on 4 September 2019

Hardy Giesler
Chief Executive Officer

This Certificate was amended on 22 May 2024 as part of a transition of The BBA Agrément Certificate scheme delivered under the BBA's ISO/IEC 17020 accreditation. This Certificate was issued originally under accreditation to ISO/IEC 17055. Sections marked with the symbol 1 are not issued under accreditation. Full conversion to the ISO/IEC 17020 format will take place at the next Certificate review. The BBA is a UKAS accredited inspection Body (No.4345). Readers MUST check the validity of this Agrément Certificate by either referring to the BBA website or contacting the BBA directly. Any photographs are for illustrative purposes only, do not constitute advice and must not be relied upon.

British Board of AgrémentBucknalls Lane
Watford
Herts WD25 9BA

tel: 01923 665300 clientservices@bbacerts.co.uk www.bbacerts.co.uk