

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

UAC BERHAD
36, JALAN PORTLAND
TASEK INDUSTRIAL ESTATE
31400 IPOH
PERAK, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

FIBRE-CEMENT FLAT SHEETS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan

as complying with

MS 1296 : 2010



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

SCHEDULE

UAC BERHAD



Trade Mark : UAC
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

Trade Mark : UAC
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

Trade Mark : UAC
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles
 Rating : CATEGORY C CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UAC BERHAD



Trade Mark : UAC
 Model : Superflex
 Rating : CATEGORY C CLASS 2 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm
 (THICKNESS: 3.2mm)

Trade Mark : UAC
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain
 Rating : CATEGORY C CLASS 1 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Angkasa, Chemerah Plus, Forra Plus, Tika
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm
 (THICKNESS: 3.2mm)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakuk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UAC BERHAD



Trade Mark : UAC
Model : Angkasa, Chemerah Plus, Forra Plus, Tika
Rating : CATEGORY A CLASS 2 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm
(THICKNESS: 3.2mm)

Trade Mark : UAC
Model : Angkasa, Chemerah Plus, Forra Plus, Tika
Rating : CATEGORY C CLASS 1 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm
(THICKNESS: 3.2mm)

Trade Mark : UAC
Model : Angkasa, Chemerah Plus, Forra Plus, Tika
Rating : CATEGORY C CLASS 2 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm
(THICKNESS: 3.2mm)

Trade Mark : UAC
Model : DecoWood (Smooth & Woodlike)
Rating : CATEGORY A CLASS 1 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm
(THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

SCHEDULE

UAC BERHAD



Trade Mark : UAC
 Model : DecoWood (Smooth & Woodlike)
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm
 (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

Trade Mark : UAC
 Model : DecoWood (Smooth & Woodlike)
 Rating : CATEGORY C CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm
 (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

Trade Mark : UAC
 Model : Skirting (Smooth & Woodlike)
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm
 (THICKNESS: 9.0mm, 12.0mm)

Trade Mark : UAC
 Model : Skirting (Smooth & Woodlike)
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm
 (THICKNESS: 9.0mm, 12.0mm)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UAC BERHAD



Trade Mark : UAC
 Model : Skirting (Smooth & Woodlike)
 Rating : CATEGORY C CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm
 (THICKNESS: 9.0mm, 12.0mm)

Trade Mark : UAC
 Model : Plank Shiplap (Smooth)
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Shiplap (Smooth)
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Shiplap (Smooth)
 Rating : CATEGORY C CLASS 1 LEVEL I
 Type : NON TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Shiplap (Sedartex Woodgrain)
 Rating : CATEGORY A CLASS 1 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
 Model : Plank Shiplap (Sedartex Woodgrain)
 Rating : CATEGORY A CLASS 2 LEVEL I
 Type : TEXTURED SHEETS
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
 (THICKNESS: 7.5mm, 9.0mm)

SIRIM QAS International Sdn. Bhd.
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
 Seksyen 2, Peti Surat 7035
 40700 Shah Alam
 Selangor Darul Ehsan
 MALAYSIA.

Tel : 603-5544 6000
 Emel : cserviceqas@sirim.my

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UAC BERHAD



Trade Mark : UAC
Model : Plank Shiplap (Sedartex Woodgrain)
Rating : CATEGORY C CLASS 1 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : Fence (Smooth)
Rating : CATEGORY A CLASS 1 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : Fence (Smooth)
Rating : CATEGORY A CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : Fence (Smooth)
Rating : CATEGORY C CLASS 1 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : Fence (Sedartex Woodgrain)
Rating : CATEGORY A CLASS 1 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

UAC BERHAD



Trade Mark : UAC
Model : Fence (Sedartex Woodgrain)
Rating : CATEGORY A CLASS 2 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : Fence (Sedartex Woodgrain)
Rating : CATEGORY C CLASS 1 LEVEL I
Type : TEXTURED SHEETS
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,
2440mm x 150mm, 2440mm x 160mm
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC
Model : DecoWood Premium (Smooth & Woodlike)
Rating : CATEGORY A CLASS 1 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm
(THICKNESS: 20.0mm, 25.0mm)

Trade Mark : UAC
Model : DecoWood Premium (Smooth & Woodlike)
Rating : CATEGORY A CLASS 2 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm (THICKNESS:
20.0mm, 25.0mm)

Trade Mark : UAC
Model : DecoWood Premium (Smooth & Woodlike)
Rating : CATEGORY C CLASS 1 LEVEL I
Type : NON TEXTURED SHEETS
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm (THICKNESS:
20.0mm, 25.0mm)

End of page

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 22 April 1997

Certified Since

Sah Sehingga : 31 December 2025

Valid Until

Tarikh Dikeluarkan : 21 November 2024

Issue Date

No Siri : 104985

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.