

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada**  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**UAC BERHAD  
36, JALAN PORTLAND  
TASEK INDUSTRIAL ESTATE  
31400 IPOH  
PERAK, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**FIBRE-CEMENT FLAT SHEETS**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**MS 1296 : 2010**



**Ts. Md. Adha bin Katni @ Rahmat**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



**SIRIM QAS International Sdn. Bhd.**  
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : [cserviceqas@sirim.my](mailto:cserviceqas@sirim.my)

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

**Tarikh Dikeluarkan : 24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm  
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

Trade Mark : UAC  
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm  
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

Trade Mark : UAC  
 Model : Superflex, Flexabord, Vistabord, Multiflex, Plank Smooth, Lattice, Duravent, Shingles  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm, 3660mm x 230mm, 3660mm x 160mm, 3600mm x 225mm  
 (THICKNESS: 3.2mm, 3.5mm, 4.5mm, 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 19.0mm, 20.0mm, 22.0mm, 25.0mm)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malysiancertified.com.my>

Tarikh Mula Pensijilan : **22 April 1997**

Certified Since

Sah Sehingga : **31 December 2026**

Valid Until

Tarikh Dikeluarkan : **24 December 2025**

Issue Date

No Siri : 121392

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
 Model : Superflex  
 Rating : CATEGORY C CLASS 2 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 2400mm x 1200mm, 1220mm x 1220mm, 1220mm x 610mm, 1213mm x 603mm, 1210mm x 603mm, 1200mm x 600mm, 603mm x 603mm, 2700mm x 600mm, 3000mm x 600mm, 2250mm x 600mm, 2197mm x 1200mm, 2700mm x 1200mm, 3000mm x 1200mm, 1830mm x 1220mm, 1800mm x 900mm  
 (THICKNESS: 3.2mm)

Trade Mark : UAC  
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm  
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm  
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Plank Sedartex Woodgrain, Supertex Panel Woodgrain  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 3660mm x 160mm, 3660mm x 210mm, 3660mm x 230mm, 2440mm x 1216mm  
 (THICKNESS: 6.0mm, 6.5mm, 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Angkasa, Chemerah Plus, Forra Plus, Tika  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm  
 (THICKNESS: 3.2mm)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

**Tarikh Dikeluarkan : 24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
 Model : Angkasa, Chemerah Plus, Forra Plus, Tika  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm  
 (THICKNESS: 3.2mm)

Trade Mark : UAC  
 Model : Angkasa, Chemerah Plus, Forra Plus, Tika  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm  
 (THICKNESS: 3.2mm)

Trade Mark : UAC  
 Model : Angkasa, Chemerah Plus, Forra Plus, Tika  
 Rating : CATEGORY C CLASS 2 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 1220mm, 1220mm x 1220mm, 1220mm x 610mm  
 (THICKNESS: 3.2mm)

Trade Mark : UAC  
 Model : DecoWood (Smooth & Woodlike)  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm  
 (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : **22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

Tarikh Dikeluarkan : **24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
 Model : DecoWood (Smooth & Woodlike)  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm  
 (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

Trade Mark : UAC  
 Model : DecoWood (Smooth & Woodlike)  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 75mm, 2440mm x 100mm, 2440mm x 150mm, 2440mm x 200mm, 2440mm x 250mm, 2440mm x 300mm, 2400mm x 50mm, 2400mm x 75mm, 2400mm x 100mm, 2400mm x 150mm, 2400mm x 200mm, 2400mm x 250mm, 2400mm x 300mm, 1220mm x 270mm, 1220mm x 300mm, 3660mm x 225mm, 3600mm x 225mm  
 (THICKNESS: 6.0mm, 7.5mm, 9.0mm, 12.0mm, 15.0mm, 18.0mm, 20.0mm, 25.0mm)

Trade Mark : UAC  
 Model : Skirting (Smooth & Woodlike)  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm  
 (THICKNESS: 9.0mm, 12.0mm)

Trade Mark : UAC  
 Model : Skirting (Smooth & Woodlike)  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm  
 (THICKNESS: 9.0mm, 12.0mm)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

**Tarikh Dikeluarkan : 24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
Model : Skirting (Smooth & Woodlike)  
Rating : CATEGORY C CLASS 1 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 2440mm x 100mm, 2400mm x 100mm  
(THICKNESS: 9.0mm, 12.0mm)

Trade Mark : UAC  
Model : Plank Shiplap (Smooth)  
Rating : CATEGORY A CLASS 1 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : Plank Shiplap (Smooth)  
Rating : CATEGORY A CLASS 2 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : Plank Shiplap (Smooth)  
Rating : CATEGORY C CLASS 1 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : Plank Shiplap (Sedartex Woodgrain)  
Rating : CATEGORY A CLASS 1 LEVEL I  
Type : TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : Plank Shiplap (Sedartex Woodgrain)  
Rating : CATEGORY A CLASS 2 LEVEL I  
Type : TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
(THICKNESS: 7.5mm, 9.0mm)

SIRIM QAS International Sdn. Bhd.  
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
Seksyen 2, Peti Surat 7035  
40700 Shah Alam  
Selangor Darul Ehsan  
MALAYSIA.

Tel : 603-5544 6000  
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

**Tarikh Dikeluarkan : 24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
*This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.*

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
 Model : Plank Shiplap (Sedartex Woodgrain)  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 3660mm x 150mm, 3600mm x 150mm, 3050mm x 150mm  
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Fence (Smooth)  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
 1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
 2440mm x 150mm, 2440mm x 160mm  
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Fence (Smooth)  
 Rating : CATEGORY A CLASS 2 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
 1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
 2440mm x 150mm, 2440mm x 160mm  
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Fence (Smooth)  
 Rating : CATEGORY C CLASS 1 LEVEL I  
 Type : NON TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
 1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
 2440mm x 150mm, 2440mm x 160mm  
 (THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
 Model : Fence (Sedartex Woodgrain)  
 Rating : CATEGORY A CLASS 1 LEVEL I  
 Type : TEXTURED SHEETS  
 Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
 1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
 2440mm x 150mm, 2440mm x 160mm  
 (THICKNESS: 7.5mm, 9.0mm)

SIRIM QAS International Sdn. Bhd.  
 (No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri  
 Seksyen 2, Peti Surat 7035  
 40700 Shah Alam  
 Selangor Darul Ehsan  
 MALAYSIA.

Tel : 603-5544 6000  
 Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>  
<https://www.malaysiancertified.com.my>

**Tarikh Mula Pensijilan : 22 April 1997**

*Certified Since*

**Sah Sehingga : 31 December 2026**

*Valid Until*

**Tarikh Dikeluarkan : 24 December 2025**

*Issue Date*

**No Siri : 121392**

*Serial No*

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.  
 This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

# SCHEDULE

## UAC BERHAD



Trade Mark : UAC  
Model : Fence (Sedartex Woodgrain)  
Rating : CATEGORY A CLASS 2 LEVEL I  
Type : TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
2440mm x 150mm, 2440mm x 160mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : Fence (Sedartex Woodgrain)  
Rating : CATEGORY C CLASS 1 LEVEL I  
Type : TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 1220mm x 115mm, 1220mm x 150mm, 1220mm x 160mm,  
1830mm x 115mm, 1830mm x 150mm, 1830mm x 160mm, 2440mm x 115mm,  
2440mm x 150mm, 2440mm x 160mm  
(THICKNESS: 7.5mm, 9.0mm)

Trade Mark : UAC  
Model : DecoWood Premium (Smooth & Woodlike)  
Rating : CATEGORY A CLASS 1 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm  
(THICKNESS: 20.0mm, 25.0mm)

Trade Mark : UAC  
Model : DecoWood Premium (Smooth & Woodlike)  
Rating : CATEGORY A CLASS 2 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm (THICKNESS:  
20.0mm, 25.0mm)

Trade Mark : UAC  
Model : DecoWood Premium (Smooth & Woodlike)  
Rating : CATEGORY C CLASS 1 LEVEL I  
Type : NON TEXTURED SHEETS  
Size : LENGTH AND WIDTH: 2400mm x 150mm, 2400mm x 200mm (THICKNESS:  
20.0mm, 25.0mm)

**End of page**